
EAVS Section B Data Standard

Release 0.13.2

John Dziurlaj, Jared Marcotte

Aug 04, 2023

TABLE OF CONTENTS

1	CSV Documentation	3
1.1	Getting Started	4
1.2	Naming Convention	4
1.3	Data Fields	5
1.3.1	Id	5
1.3.2	VoterId	5
1.3.3	RequestMethod	5
1.3.4	RequestOtherMethod	6
1.3.5	RequestDate	6
1.3.6	RequestStatusType	6
1.3.7	RequestStatusReasonType	6
1.3.8	RequestReasonOtherType	7
1.3.9	RequestType	7
1.3.10	BallotRejectionType	7
1.3.11	BallotRejectionOtherType	8
1.3.12	BallotReceivedDate	8
1.3.13	BallotReceivedMethod	8
1.3.14	BallotReceivedOtherMethod	9
1.3.15	BallotTransmissionDate	9
1.3.16	BallotTransmissionMethod	9
1.3.17	BallotTransmissionOtherMethod	9
1.3.18	BallotType	10
1.3.19	ElectionDate	10
1.3.20	ElectionName	10
1.3.21	JurisdictionId	10
1.3.22	JurisdictionIdType	11
1.3.23	JurisdictionName	11
1.3.24	StateName	11
1.3.25	VoterMailingCountry	13
1.3.26	VoterType	13
2	ESB Formatting	15
2.1	ESB File Structure	15
2.2	Header Row	15
2.3	Control Characters	16
2.4	Missing Values	16
2.5	Data Types	16
2.5.1	array	16
2.5.2	boolean	16
2.5.3	date	16

2.5.4	string	16
-------	------------------	----

Welcome to the EAVS Section B Data Standard documentation. This data standard aims to provide a simple way to provide data for Section B of the [Election Administration and Voting Survey](#), or EAVS. While the EAVS collects data that allows for comparison of election administration at the state-level, the EAVS can tell us very little about the voter-level transactions and what contributes to a voter successfully receiving and casting a ballot. This standard gives states and jurisdictions a mechanism to provide data in a structured format that allows for deeper analysis of voter behavior and isolate potential pitfalls in the administrative process.

CSV DOCUMENTATION

- *Getting Started*
- *Naming Convention*
- *Data Fields*
 - *Id*
 - *VoterId*
 - *RequestMethod*
 - *RequestOtherMethod*
 - *RequestDate*
 - *RequestStatusType*
 - *RequestStatusReasonType*
 - *RequestReasonOtherType*
 - *RequestType*
 - *BallotRejectionType*
 - *BallotRejectionOtherType*
 - *BallotReceivedDate*
 - *BallotReceivedMethod*
 - *BallotReceivedOtherMethod*
 - *BallotTransmissionDate*
 - *BallotTransmissionMethod*
 - *BallotTransmissionOtherMethod*
 - *BallotType*
 - *ElectionDate*
 - *ElectionName*
 - *JurisdictionId*
 - *JurisdictionIdType*
 - *JurisdictionName*

- *StateName*
- *VoterMailingCountry*
- *VoterType*

1.1 Getting Started

If you're a state or local election official reading this, first, thank you for your work and your interest in the project. The data required to participate in this project is typically found in absentee voter roster files, voter registration databases, or voter history files. Sometimes all three... and maybe others. The standard looks to capture [Uniformed and Overseas Citizen Absentee Voting Act](#) (UOCAVA) transactions, such as:

- when a voter requests a ballot;
- when the application is processed;
- to what country the ballot is sent and when;
- why an application/ballot is rejected; and,
- whether a voter is military or overseas citizen.

To make the process of collecting data easier, this project borrows lessons from the [Voting Information Project's](#) (VIP's) approach to data collection: use a flat file format for data collection and push any transformations downstream.

1.2 Naming Convention

Due to the many issues around elections data collection and cleanliness, much of the data still requires some form of human oversight. Therefore, having a relatively accessible file naming convention is beneficial. While this is not a hard-and-fast rule, anyone producing data in this standard should use the following naming convention, which partially borrows from the [Voting Information Project's](#) documentation.

```
esbdata- $\{\text{ELECTION\_DATE}\}$ - $\{\text{STATE}\}$ [- $\{\text{LOCAL}\}$ ].{csv|zip}
```

An explanation of each of the segments of the file naming convention above are as follows:

- $\{\text{ELECTION_DATE}\}$ - The date of the election in [ISO 8601](#) format.
- $\{\text{STATE}\}$ - The full state name (e.g. Alaska, Arkansas, etc...) and not the abbreviation. If there are spaces in the state name, they should be substituted with underscores (e.g. New York -> New_York).
- $\{\text{LOCAL}\}$ (optional) - This additional identifier should be used if the file contains data from a specific jurisdiction. As with $\{\text{STATE}\}$ above, all spaces should be substituted with underscores. For example, if the data contained in the file only covers Maricopa County, AZ for the November 6, 2012 election, the file name would be esbdata-2012-11-06-Arizona-Maricopa_County.csv.
- {csv|zip} - If the file is an uncompressed CSV document, the extension should be .csv. If the file is zipped, the file extension should end with .zip.

For a final example, esbdata-2012-11-06-Iowa.zip denotes Iowa's data for the Nov 6, 2012 election that has been compressed.

1.3 Data Fields

The following fields are possible data points for each transaction that the standard hopes to collect.

1.3.1 Id

Data Type: `string`

This field is required and must be unique.

Unique identifier for the transaction (i.e. not the voter).

1.3.2 VoterId

Data Type: `string`

This field is required.

Identifier that uniquely identifies a voter but is not required to be unique within the dataset. This number must be obfuscated from the original voter identifier in the jurisdiction's registration database. This field helps analyze how effective each type of transaction is for an individual voter.

1.3.3 RequestMethod

Data Type: `string`

This field is required.

Specifies the method by which the request was triggered. Possible values are **email**; **fax**; **in-person**, which means the request was triggered by a person; **mail**; **online**, which means the request was submitted via online form or system — through the elections office or other registration agency; **phone**, which means the request was placed via phone call; **untracked**, which signifies that this variable is not tracked in the system; and, **other**, which is a catch-all for any values that fall outside of the other values.

The value of `RequestMethod` must be one of the following:

- email
- fax
- in-person
- mail
- online
- phone
- untracked
- other

1.3.4 RequestOtherMethod

Data Type: `string`

If *RequestMethod* fails to cover all of the possible request methods for a particular voter transaction, this field specifies an alternate method by which the request was received.

1.3.5 RequestDate

Data Type: `date`

Specifies the date the request was processed by the local or state election official.

1.3.6 RequestStatusType

Data Type: `string`

This field is required.

Specifies the current status of the request. Possible values are **accepted**, which denotes that the request was successfully processed; **cancelled**, which signifies that the request has been cancelled by a voter's direct or indirect action; **pending**, which signifies that request is still being processed; **rejected**, which means the request was not successfully processed.

The value of RequestStatusType must be one of the following:

- accepted
- cancelled
- pending
- rejected

1.3.7 RequestStatusReasonType

Data Type: `array`

This field is required.

If *RequestStatusType* is **rejected**, **cancelled**, or **pending**, then *RequestStatusReasonType* specifies the reason the activity was rejected. Possible values are **duplicate**, which denotes that the election official already received an application for the voter; **invalid**, which means the application was invalid; **mismatch-voter-signature**, which means the application signature did not match the voter signature on file; **missing-identification**, which means that an unspecified identifier was required and missing from the application; **missing-ssn**, denoting that the Social Security Number was missing from the application; **missing-state-id-number**, which means the state identifier was required and missing from the application; **missing-voter-signature**, meaning the voter did not sign the application; **untracked**, which means the reason for rejection is not tracked; and **other**, which is a catch-all for any values that fall outside of the other values. Multiple values are possible for this field.

The value of RequestStatusReasonType must be one of the following:

- duplicate
- invalid
- mismatch-voter-signature
- missing-identification
- missing-ssn

- missing-state-id-number
- missing-voter-signature
- untracked
- other

1.3.8 RequestReasonOtherType

Data Type: string

If *RequestStatusReasonType* fails to cover all possible types of request reasons, this field will list an alternate type.

1.3.9 RequestType

Data Type: string

This field is required.

Specifies the type of request that triggered the change. Possible values are **fpca**, which means a voter submitted a Federal Postcard Application; **fwab**, which denotes a voter returned a Federal Write-In Absentee Ballot prior to receiving or requesting a ballot through other means; **informal-request**, which signifies a voter requested a ballot through a less formal process, such as a letter or phone call; **nvra**, which means a voter used a National Voter Registration (Act) form; **state-application**, which denotes a state form triggered the activity; and **untracked**, which means the type of application is not tracked.

The value of RequestType must be one of the following:

- fpca
- fwab
- informal-request
- nvra
- state-application
- untracked

1.3.10 BallotRejectionType

Data Type: array

Specifies the reason why the ballot was rejected. Possible values are **mismatch-voter-signature**, which denotes the signature on file did not match the signature on the returned envelope or document; **missing-voter-signature**, which signifies that the voter signature is missing on the returned documents; **not-timely**, which means the ballot was received after the required deadline; **postmark**, which signifies the ballot was postmarked after the required date; **rejected**, which signifies the ballot was rejected for an unspecified reason; **undeliverable**, which denotes the ballot was returned as undeliverable to the address where it was sent; **untracked**, which signifies that this variable is not tracked in the system; **voided-spoiled**, which means the ballot had to be voided or spoiled either by the administration or the voter; **voter-died**, which signifies the voter died thereby impacting the ability to count the ballot (NB: this is largely dependent on state law); **voter-moved**, which signifies the voter moved from their registered address; **voter-unregistered**, which means the voter is not registered to vote; and, **other**, which is a catch-all for any values that fall outside of the other values.

The value of BallotRejectionType must be one of the following:

- mismatch-voter-signature
- missing-voter-signature
- not-timely
- postmark
- rejected
- undeliverable
- untracked
- voided-spoiled
- voter-died
- voter-moved
- voter-unregistered
- other

1.3.11 BallotRejectionOtherType

Data Type: *string*

If *BallotRejectionType* fails to cover all the possible ways a ballot may be rejected, this field specifies an alternate reason why the reason the ballot was rejected.

1.3.12 BallotReceivedDate

Data Type: *date*

Specifies the date the ballot was received by the local or state election official.

1.3.13 BallotReceivedMethod

Data Type: *string*

Specifies the method by which the ballot was received by the local or state election official. Possible values are **email**, which signifies the ballot was received via email; **fax**, which denotes the ballot was received by fax; **in-person**, which means the ballot was delivered by a person (NB: this does not necessarily signify the voter themselves delivered the ballot); **mail**, which signifies the ballot was received via mail; **online**, which means the ballot was submitted via online form or system; **untracked**, which signifies that this variable is not tracked in the system; and, **other**, which is a catch-all for any values that fall outside of the other values.

The value of *BallotReceivedMethod* must be one of the following:

- email
- fax
- in-person
- mail
- online
- untracked

- other

1.3.14 BallotReceivedOtherMethod

Data Type: string

If *BallotReceivedMethod* fails to cover all of the possible return types for a particular voter transaction, this field specifies an alternate method by which the voter returned the ballot to the local or state election official.

1.3.15 BallotTransmissionDate

Data Type: date

Specifies the date the local or state election official sent the ballot to the voter.

1.3.16 BallotTransmissionMethod

Data Type: string

Specifies the method in which the ballot was sent to the voter. Possible values are **email**, which signifies the ballot was transmitted via email; **fax**, which denotes the ballot was transmitted by fax; **in-person**, which means the ballot given to a person; **mail**, which signifies the ballot was transmitted via mail; **online**, which means the ballot was transmitted via online form or system; **untracked**, which signifies that this variable is not tracked in the system; and, **other**, which is a catch-all for any values that fall outside of the other values.

The value of `BallotTransmissionMethod` must be one of the following:

- email
- fax
- in-person
- mail
- online
- untracked
- other

1.3.17 BallotTransmissionOtherMethod

Data Type: string

If *BallotTransmissionMethod* fails to cover all of the possible transmission types for a particular transaction, this field specifies an alternate method in which the local or state election official sent the ballot to the voter.

1.3.18 BallotType

Data Type: string

Specifies the type of ballot transferred to the voter. Possible values are **absentee**, which is a general catch-all for any type of absentee ballot, **federal**, which denotes the voter only received a ballot that allows voting on federal contests, **full**, which denotes a ballot with all possible contests in the voter's assigned precinct; **fwab**, which specifies a Federal Write-In Absentee Ballot, and **provisional**, which denotes a provisional ballot; and, **untracked**, which signifies that this variable is not tracked in the system.

The value of BallotType must be one of the following:

- absentee
- federal
- full
- fwab
- provisional
- untracked

1.3.19 ElectionDate

Data Type: date

This field is required.

Specifies the date the election took place.

1.3.20 ElectionName

Data Type: string

This field is required.

Specifies the name of the election.

1.3.21 JurisdictionId

Data Type: string

This field is required.

Specifies a unique identifier for the jurisdiction.

1.3.22 JurisdictionIdType

Data Type: string

This field is required.

Specifies the type of identifier used to identify the jurisdiction in *JurisdictionId*. Possible values are **fips**, which means the identifier follows the Federal Information Processing Standard (FIPS) code, **local**, which dictates the jurisdiction created the identifier, or **ocd-id**, which means the identifier follows the Open Civic Data Division Identifier (OCDID) standard.

The value of *JurisdictionIdType* must be one of the following:

- fips
- local
- ocd-id

1.3.23 JurisdictionName

Data Type: string

This field is required.

Specifies the name of the jurisdiction in which the voter is registered.

1.3.24 StateName

Data Type: string

This field is required.

Specifies the name of the state in which the voter is registered.

The value of *StateName* must be one of the following:

- Alabama
- Alaska
- American Samoa
- Arizona
- Arkansas
- California
- Colorado
- Connecticut
- Delaware
- District of Columbia
- Federated States of Micronesia
- Florida
- Georgia
- Guam

- Hawaii
- Idaho
- Illinois
- Indiana
- Iowa
- Kansas
- Kentucky
- Louisiana
- Maine
- Marshall Islands
- Maryland
- Massachusetts
- Michigan
- Minnesota
- Mississippi
- Missouri
- Montana
- Nebraska
- Nevada
- New Hampshire
- New Jersey
- New Mexico
- New York
- North Carolina
- North Dakota
- Northern Mariana Islands
- Ohio
- Oklahoma
- Oregon
- Palau
- Pennsylvania
- Puerto Rico
- Rhode Island
- South Carolina
- South Dakota
- Tennessee

- Texas
- Utah
- Vermont
- Virgin Islands
- Virginia
- Washington
- West Virginia
- Wisconsin
- Wyoming

1.3.25 VoterMailingCountry

Data Type: `string`

Specifies what country to which the ballot was mailed. The country should be a recognized country (short) name according to ISO 3166.

1.3.26 VoterType

Data Type: `string`

Specifies whether the voter is domestic or overseas military (or simply military if the designation is unknown), a spouse or dependent of a member of the military, or other if the type of voter falls outside the previous designations.

The value of `VoterType` must be one of the following:

- domestic-military
- domestic-military-spouse-dependent
- military
- military-spouse-dependent
- overseas-citizen
- overseas-military
- overseas-military-spouse-dependent
- other

ESB FORMATTING

- *ESB File Structure*
- *Header Row*
- *Control Characters*
- *Missing Values*
- *Data Types*
 - *array*
 - *boolean*
 - *date*
 - *string*

2.1 ESB File Structure

The CSV file must be comma-delimited, UTF-8 encoded (with BOM omitted), and named according to the [CSV Documentation](#).

2.2 Header Row

The first line of the file, or header row, must conform to the following:

- The CSV file must include a header row containing a comma-delimited list of all data fields, including unused fields.
- All fields names must be in the same letter casing as they appear in the [CSV documentation](#) (e.g. BallotReturnDate is acceptable, but ballotreturndate is not).
- All fields must be emitted in the order they appear in the [CSV documentation](#).

2.3 Control Characters

The CSV file must be free of control characters, except for newlines, which should follow UNIX syntax (i.e. `\n`).

2.4 Missing Values

If a data point specified by a field is unavailable, place the value `na` in that field. Note that:

- `na` should not be used in a field when a value is not expected, such as an `OtherType`, when the base field is not set to `other`.
- `na` must not be used in required fields.

2.5 Data Types

Each field belongs to a particular data type. These data types constrain the allowed values for a particular field. For example, a field of type `date` must follow the conventions of a [ISO 8601](#).

2.5.1 array

An array is used to store multiple values in a single field.

```
["first-value", "second-value"]
```

Even if a field only contains a single value, it still must be surrounded by brackets.

2.5.2 boolean

A boolean represents a true or false value. Possible values are `true` or `false`.

2.5.3 date

All dates in the ESB feed must conform to the [ISO 8601](#) standard on dates. The format model of such a date is `YYYY-MM-DD`.

2.5.4 string

A `string` is a sequence of characters. Most fields in the ESB Data Standard are strings. Be sure to read the documentation for each `string` field, as some fields only allow values that are specified in an enumerated list. String fields should be free of leading or trailing whitespace.